

Office – Ujjain Municipal Corporation
Swachh Vayu Survekshan -2025

1.	Measures to abate emissions from biomass/ municipal solid waste burning weightage - 20%, Marks 40	
		Value
Component 1a	% of solid waste collected against generated (10 Marks)	
a.	Total Solid Waste generated (Tonnes/day)	260
b.	Total Solid waste collected (tonnes/day)	260
c.	% of solid waste collected against generated (%)	100%
d.	Marks self-assigned as per guidance document (unit)	10
Component 1b	% of solid waste processed against generated (10 Marks)	
a.	Total Solid Waste generated (Tonnes/day)	260
b.	Total Solid waste processed (tonnes/day)	257
c.	% of solid waste processed against generated (%)	98.84%
d.	Marks self-assigned as per guidance document (unit)	10
Component 1c	% of Installed capacity to process the generated waste against required to process 100% waste generated(05 Marks)	
a.	Installed Capacity to process the generated waste (Tonnes/day)	341.035 TPD
b.	Capacity required to process the 100% waste generated (Tonnes/day)	260 TPD
c.	% of Installed capacity to process the generated waste against required to process 100% waste generated	140 %
d.	Marks self-assigned as per guidance document (unit)	5
Component 1d	% of legacy waste processed against existing total legacy waste (05 Marks)	
a.	Total Legacy Waste existing (Tonnes/day)	47698
b.	Total Legacy waste processed (tonnes/day)	23196
c.	% of legacy waste processed against existing (%)	48.63 %
d.	Marks self-assigned as per guidance document (unit)	3
Component 1e	Ban imposed on burning of solid waste(05 Marks)	
a.	No. of complaints of waste burning in PGRS in the entire year	52
b.	Marks self-assigned as per guidance document (unit)	5
Component 1f	% of plastic waste collected against generated (05 Marks)	
a.	Total Plastic Waste generated (Tonnes/day)	70
b.	Total Plastic waste collected (tonnes/day)	70
c.	% of Plastic waste collected against generated (%)	100%
d.	Marks self-assigned as per guidance document (unit)	5

Signature	
Name	 
Designation	Deputy Commissioner & Nodal Officer SBM

Office – Ujjain Municipal Corporation
Swachh Vayu Survekshan- 2025

2.	Measures to abate Road Dust; weightage –20%, Marks 40	
		Value
Component 2a	% of all types of roads maintained/ pothole free road (10 Marks)	
a.	Total no. of roads	115
b.	Total no. of roads maintained/pothole free	104
c.	% of all types of roads maintained/pothole free road	90.43
d.	Marks self-assigned as per guidance document (unit)	10
Component 2b	% of pavements made against total length of road shoulders (7.5 Marks)	
a.	Total length of road shoulders (km)	122.71
b.	Total length of pavements made (km)	120.12
c.	% of pavements made against total length of road shoulders (%)	97.88
d.	Marks self-assigned as per guidance document (unit)	7.5
Component 2c	% of paved (metalled/concrete/blacktopped) roads against total length of roads (15 marks)	
a.	Total length of roads (km)	1040.7
b.	Total length of paved (metalled/concrete/blacktopped) road (km)	1039.2
c.	% of paved (metalled/concrete/blacktopped) roads against total length of roads	99.85
d.	Marks self-assigned as per guidance document (unit)	15
Component 2d	% of area covered by greenbelt against total area/ road length to be greened including along road side and on dividers(2.5 Marks)	
a.	Total area/road length to be greened including along road side and on dividers (km)	126.85
b.	Total area covered by greenbelt (km)	120
c.	% of area covered by greenbelt against Total area/road length to be greened including along road side and on dividers (%)	94.58
d.	Marks self-assigned as per guidance document (unit)	2.5
Component 2e	% of road length swept including through mechanical road sweepers (5 Marks)	
a.	Total road length (km)	126.65
b.	Total road length swept including through mechanical road sweepers (km)	122.45
c.	% of road length swept including through mechanical road sweepers (%)	96.68
d.	Marks self-assigned as per guidance document (unit)	5

Signature	
Name	कार्यपालन यंत्री नगर पालिक निगम उज्जैन Sahil Medhawala
Designation	Executive Engineer

Office – Ujjain Municipal Corporation
Swachh Vayu Survekshan - 2025

3.	Measures to abate dust from Construction and Demolition waste (C&D); weightage - 5%, Marks 10	
		Value
Component 3a	% of C&D waste collected against generated(2 Marks)	
a.	Total C&D waste generated (Tonnes/day)	9
b.	Total C&D waste collected (tonnes/day)	9
c.	% of C&D waste collected against generated (%)	100%
d.	Marks self-assigned as per guidance document (unit)	2
Component 3b	% of C&D processed against generated(2 Marks)	
a.	Total C&D Waste generated (Tonnes/day)	9
b.	Total C&D waste processed (tonnes/day)	9
c.	% of solid waste processed against generated (%)	100%
d.	Marks self-assigned as per guidance document (unit)	2
Component 3c	% of C&D Utilised against generated(2 Marks)	
a.	Total C&D Waste generated (Tonnes/day)	9
b.	Total C&D Waste utilised (Tonnes/day)	9
c.	% of C&D utilised against generated	100%
d.	Marks self-assigned as per guidance document (unit)	2
Component 3d	% of sites where the guidelines for dust mitigation were complied (4 Marks)	
a.	Total no. of sites	2009
b.	Total no. of sites where the guidelines for dust mitigation were complied	1808
c.	% of construction sites where the guidelines for dust mitigation were complied (%)	90%
d.	Marks self-assigned as per guidance document (unit)	4

Signature	
Name	SBM-NOBEL OFFICER Ujjain Municipal Corporation Ujjain-802230
Designation	Deputy Commissioner & Nodal Officer SBM

कार्यालय क्षेत्रीय परिवहन अधिकारी उज्जैन म0प्र0




Office – RTO, Ujjain
Swachh Vayu Survekshan 2025


4.	Measures to abate Vehicular Emissions; Monitoring of PUC for vehicles and data on compliances, number of vehicles monitored vis-a-vis registered vehicles; weightage - 20%, Marks 40(4.a-RTO Part- 35 marks)	
		Value
Component 4a	Adequate number of PUC testing centre – (5 marks)	
a.	Total no. of vehicles	558938
b.	Total no. of PUC centres	28
c.	No. of PUC centre per 1,00,000 vehicles	6.0
d.	Marks self-assigned as per guidance document (unit)	5
Component 4b	% of PUC testing centre integrated with centralized server- (5 marks)	
a.	Total no. of PUC testing centre	28
b.	Total no. of PUC centre integrated with centralized server	28
c.	% of PUC centre integrated with centralized server (%)	100
d.	Marks self-assigned as per guidance document (unit)	5
Component 4c	Registered vehicles with PUC certificate-(10 marks)	
a.	Total no. of registered vehicles	558938
b.	Total no. of registered vehicles with PUC certificate	458830
c.	% of registered vehicles with PUC certificate	100%
d.	Marks self-assigned as per guidance document (unit)	10
Component 4d	Public transport infrastructure -(7.5 marks)	
a.	Total no. of public buses	965
b.	Marks self-assigned as per guidance document (unit)	7.5
Component 4f	E-mobility- registered vehicles (e-buses, 3wheelers, 2 wheelers, 4 wheelers etc.)- (7.5 marks)	
a.	Total no. of registered vehicles	558938
b.	Total no. of E-mobility registered vehicles (e-buses, 3 wheelers, 2 wheelers, 4 wheelers)	15725
c.	% of E-mobility registered vehicles (%)	1.56
d.	Marks self-assigned as per guidance document (unit)	5

Signature	
Name	Santosh kumar Malaviya
Designation	RTO UJJAIN

Office – District Supply Office, Ujjain
SwachhVayuSurvekshan-2025

4.	Measures to abate Vehicular Emissionsweightage - 20%, Marks -5 (4.b DSO Part)	
		Value
Component 4e	No. of fuel stations inspected for fuel adulteration-(5 Marks)	
a.	Total no. of fuel stations	24
b.	Total no. of fuel station inspected for fuel adulteration	24
c.	% of fuel station inspected for fuel adulteration	100
d.	Marks self-assigned as per guidance document (unit)	05

Signature	
Name	Shalu Varma
Designation	District Supply Office, Ujjain. Dist. Madhaya Pradesh


जिला आपूर्ति निदेशक
जिला उज्जैन



Office – RO MPPCB, Ujjain
Swachh Vayu Survekshan 2025

5.	Measures to abate emissions from Industries; weightage -15%, Marks 30	
		Value
Component 5a	% of Online Continuous Emission Monitoring Systems (OCES) installed in industries against total no. of 17 Red category of industries(10 Marks)	
a.	Total no. of 17 Red category Industries	0
b.	Total no. of 17 red category industries having online continuous emission monitoring systems (OCES)	0
c.	% of industries having online continuous emission monitoring systems (OCES) against 17 Red category of industries	NA
d.	Marks self-assigned as per guidance document (unit)	10
Component 5b	% of industries complying with emission norms(15 Marks)	
a.	Total no. of Industries	123
b.	Total no. of industries complying with emission norms	123
c.	% of industries complying with emission norms	100
d.	Marks self-assigned as per guidance document (unit)	15
Component 5c	% of Industries shifted to clean fuel against total no. of industries (clean fuel can be described as natural gas, PNG/LNG, LPG, Bio-gas, Propane, Butane, etc) (5 Marks)	
a.	Total no. of industries	123
b.	Total no. of industries shifted to clean fuel (clean fuel can be described as natural gas, PNG/LNG, LPG, Bio-gas, Propane, Butane, etc.)	18
c.	% of industries shifted to clean fuel against total no. of industries	14.63
d.	Marks self-assigned as per guidance document (unit)	1

Signature	
Name	A.D. Sant
Designation	SSO

Senior Scientific Officer
Regional Laboratory,
M.P. Pollution Control Board
Bhopal, Madhya Pradesh (M.P.)

Office – Ujjain Municipal Corporation
Swachh Vayu Survekshan - 2025

6.1	Measures to abate Other Emissions; weightage -15%, Marks 30	
		Value
Component 6a	% of houses covered under LPG/PNG scheme(7.5 Marks)	
a.	Total no. of Houses	103776
b.	Total no. of houses covered under LPG/PNG scheme	92874
c.	% of houses covered under LPG/PNG scheme	89.49
d.	Marks self-assigned as per guidance document (unit)	7.5
Component 6b	% of brick kilns shifted to zigzag including within 10 km from sides of the ULB limits(7.5 Marks)	
a.	Total no. of brick kilns	10
b.	Total no. of brick kilns shifted to zigzag including within 10km from sides of the ULB limits	10
c.	% of brick kilns shifted to zigzag including within 10km from sides of the ULB limits	100
d.	Marks self-assigned as per guidance document (unit)	7.5
Component 6d	Public Grievances Redressal System (PGRS) % Of air pollution related complaints resolved against registered(7.5 Marks)	
a.	No. of air pollution related complaints registered in PGRS	54
b.	No. of air pollution related complaints resolved	54
c.	% of air pollution related complaints resolved against registered	100
d.	Marks self-assigned as per guidance document (unit)	7.5

Signature	 कार्यपालक यंत्री नगर प्रालिक निगम उज्जैन
Name	Sahil Medhwala
Designation	Executive Engineer


Office – Electricity Board, Ujjain
Swachh Vayu Survekshan -2025

6.2	Measures to abate Other Emissions; weightage -15%, Marks 30 (Electricity Part -7.5 Marks)	
		Value
Component 6c	Electricity Supply- (7.5 Marks)	
a.	Average No. of hours of electricity supply in a day (24 hours)	24 Hours
b.	Marks self-assigned as per guidance document (unit)	7.5

Signature	 Superintending Engineer (O&M) MPPKWCL, UJJAIN
Name	Sh. P.S. Chouhan
Designation	Superintending Engineer, M.P.P.K.V.V.C.L. Ujjain


Office – Ujjain Municipal Corporation
Swachh Vayu Survekshan -2025

7.	IEC activities/ Public awareness; weightage – 2.5%, Marks 5	
		Value
Component 7a	Advertisements on Dos and Don'ts on social media, each on twitter, Facebook, Instagram, and also permanent display on departments websites (1 Marks)	
a.	Total no. of ads per month	25
b.	Marks self-assigned as per guidance document (unit)	1
Component 7b	% of houses covered for Door-to-door campaign (segregation of waste at source etc) (2 Marks)	
a.	Total no. of houses	103776
b.	Total no. of houses covered for door-to-door campaign (segregation of waste at source etc)	98588
c.	% of houses covered for door-to-door campaign (segregation of waste at source etc)	95%
d.	Marks self-assigned as per guidance document (unit)	2
Component 7c	% of schools covered out of all schools for awareness programmes (2 Marks)	
a.	Total no. of schools	39
b.	Total no. of schools covered for awareness programmes	39
c.	% of schools covered out of all schools for awareness programmes	100%
d.	Marks self-assigned as per guidance document (unit)	2

Signature	
Name	Yogendra Singh Patel
Designation	Deputy Commissioner & Nodal Officer SBM

Office – RO MPPCB, Ujjain
Swachh Vayu Survekshan 2024- 2025

8.	Improvement in PM10 concentrations; weightage – 2.5%, Marks 5	
		Value
Component 1	Improvement in PM 10 concentration (Integrated value of NAMP & CAAQMS year on year basis i.e improvement in past 1 year. * (NAAQS- National Ambient Air Quality Standards for PM10 = 60µg/m3)	
a.	Integrated value of NAMP & CAAQMS for PM10 in previous year to the assessment year (FY 2023 – 2024)	69.98
b.	Integrated value of NAMP & CAAQMS for PM10 in the assessment year (FY 2024 – 2025)	71.16
c.	Improvement in PM10 concentration in 1 year or meeting NAAQS target	-
d.	Marks self-assigned as per guidance document (unit)	5

Signature	
Name	A.D. Sant
Designation	Senior Scientific Officer M.P. Pollution Control Board, Ujjain

Senior Scientific Officer
Regional Laboratory
MP Pollution Control Board
Ujjain